

AD 606442

2

ANALYTICAL APPROXIMATIONS

Volume 23

Cecil Hastings, Jr.
Elaine Hastings

P-1117

28 June 1957

Approved for OTS release

COPY	1	OF	1
HARD COPY	\$.	1.00	
MICROFICHE	\$.	0.50	

3p

The RAND Corporation

1700 MAIN ST. • SANTA MONICA • CALIFORNIA

COPYRIGHT, 1957
THE RAND CORPORATION

H

AD 60641/P

6-16-57

Analytical Approximations

Chi-Square Integral: The table below gives details of cross-section approximations holding over $m, \chi^2 < \infty$ and pertaining to

$$F_m(\chi^2) = \frac{1}{2^{\Gamma(\frac{m}{2})}} \int_0^{\chi^2} \left(\frac{t^2}{2}\right)^{\frac{m}{2}-1} e^{-t^2/2} d(t^2)$$

$$= 1 - \frac{A}{[1+a_1 t+a_2 t^2+a_3 t^3]^4};$$

$$t = \sqrt{\chi^2} - \sqrt{m}.$$

m	A	a ₁	a ₂	a ₃	ε
2	.3679	.3622	.1384	.1169	.0006
3	.3916	.3497	.1414	.1214	.0007
4	.4060	.3424	.1421	.1251	.0007
5	.4159	.3374	.1426	.1275	.0007
6	.4232	.3335	.1432	.1294	.0008
7	.4289	.3307	.1427	.1316	.0008
8	.4335	.3286	.1416	.1340	.0008
9	.4373	.3265	.1416	.1353	.0008
10	.4405	.3250	.1410	.1367	.0008
30	.4657	.3123	.1367	.1493	.0009
∞	.5	.2952	.1235	.1749	.0012

Cecil Hastings, Jr.
 Elaine Hastings
 RAND Corporation
 Copyright 1957

6-16-57

Analytical Approximations

Chi-Square Integral: The table below gives details of cross-section approximations holding over $m, \chi^2 < \infty$ and pertaining to

$$F_m(\chi^2) = \frac{1}{2^{\Gamma(\frac{m}{2})}} \int_0^{\chi^2} \left(\frac{t^2}{2}\right)^{\frac{m}{2}-1} e^{-t^2/2} d(t^2)$$

$$= 1 - \frac{\Lambda}{[1+a_1 t+a_2 t^2+a_3 t^3]^4} ;$$

$$t = \sqrt{\chi^2} - \sqrt{m}.$$

m	Λ	a ₁	a ₂	a ₃	ε
2	.3679	.3622	.1384	.1169	.0006
3	.3916	.3497	.1414	.1214	.0007
4	.4060	.3424	.1421	.1251	.0007
5	.4159	.3374	.1426	.1275	.0007
6	.4232	.3335	.1432	.1294	.0008
7	.4289	.3307	.1427	.1316	.0008
8	.4335	.3286	.1416	.1340	.0008
9	.4373	.3265	.1416	.1353	.0008
10	.4405	.3250	.1410	.1367	.0008
30	.4657	.3123	.1367	.1493	.0009
∞	.5	.2952	.1235	.1749	.0012

Cecil Hastings, Jr.
 Elaine Hastings
 RAND Corporation
 Copyright 1957

6-12-57

Analytical Approximation

Chi-Square Integral: To better than .0013 over $m \leq \chi^2 < \infty$ and $2 \leq m < \infty$, m being considered a continuous parameter,

$$F_m(\chi^2) = \frac{1}{2\Gamma(\frac{m}{2})} \int_0^{\chi^2} \left(\frac{t^2}{2}\right)^{\frac{m}{2}-1} e^{-t^2/2} d(t^2)$$

$$\approx 1 - \frac{\Lambda}{[1+a_1 t+a_2 t^2+a_3 t^3]^4}$$

$$t = \sqrt{\chi^2} - \sqrt{m}$$

$$\Lambda = .5 - .133\sqrt{\frac{2}{m}}$$

$$a_1 = .295 + .067\sqrt{\frac{2}{m}}$$

$$a_2 = .124 + .057\sqrt{\frac{2}{m}} - .043\left(\frac{2}{m}\right)$$

$$a_3 = .174 - .105\sqrt{\frac{2}{m}} + .049\left(\frac{2}{m}\right)$$

Cecil Hastings, Jr.
Elaine Hastings
RAND Corporation
Copyright 1957